

RADIESSE®

*How Do  
You Define  
Your Look?*



**IMPORTANT RADIESSE®, RADIESSE® (+) and BELOTERO BALANCE®  
SAFETY INFORMATION**

RADIESSE, RADIESSE (+), and BELOTERO BALANCE are dermal fillers that are FDA-approved to smooth moderate to severe facial wrinkles and folds, such as nasolabial folds (the creases that extend from the corner of your nose to the corner of your mouth). RADIESSE is also used to correct volume loss in the back of the hands.

# Your Definition, Your Way.

We spend our entire lives defining who we are. From wardrobe to career choices, we get to decide how to make a name for ourselves. When the unwanted signs of aging occur, it's time to take back control.

RADIESSE® empowers you to define and control your look by smoothing your wrinkles. The results are long-lasting and highly satisfying to patients just like you,<sup>1,2</sup> and it is the first FDA-approved injectable filler for both the face and hands.<sup>3,4</sup>

## About the Treatment

### WHAT TO EXPECT

Feel comfortable in choosing RADIESSE and use this guide to help understand what to expect before, during, and after treatment.

- + RADIESSE can be gently injected under the skin in the lower face and hands<sup>3,4</sup>
- + The procedure may take as little as 30 minutes<sup>3</sup>
- + It is FDA-approved to be mixed with lidocaine (an anesthetic) to improve treatment experience<sup>3,5</sup>
- + Alternatively, it comes premixed with lidocaine as RADIESSE (+)<sup>3</sup>
- + After injection, RADIESSE works to lift and define key areas around the lower face for an overall smoother appearance<sup>2,6</sup>
- + The natural-looking results may last up to a year or more in many patients<sup>1</sup>

*The procedure may take as little as 30 minutes*

### IMPORTANT RADIESSE®, RADIESSE® (+) and BELOTERO BALANCE® SAFETY INFORMATION (CONTINUED)

You should not use RADIESSE, RADIESSE (+), or BELOTERO BALANCE if you have a history of severe allergies or anaphylaxis, or if you are pregnant or breastfeeding. You should not use RADIESSE or RADIESSE (+) if you have an allergy to any part of the product, or if you have a bleeding disorder. You should not use RADIESSE (+) if you have an allergy to lidocaine or medicines like it.

## How It Works

Collagen is the main structural protein in our skin—it's what helps it feel and look tight, taut, and youthful. As we age, the production of collagen slows down, causing skin to sag.


Once injected, **RADIESSE®** provides immediate lift and correction but continues to work by stimulating the body to produce its own natural collagen for a more refreshed appearance.<sup>7,8</sup>

*RADIESSE provides immediate lift and stimulates your own collagen<sup>6-8</sup>*

+ **RADIESSE** is composed of calcium hydroxylapatite (CaHA) microspheres suspended in an aqueous gel carrier.<sup>7</sup>



+ Once injected, it provides immediate volume and correction and continues to work by



stimulating the body's own natural production of collagen, for a long-lasting effect.<sup>7</sup>

+ Over time, the gel is absorbed and the body metabolizes the CaHA microspheres, leaving behind only your own natural collagen.<sup>7</sup>



## Injection Areas

### **RADIESSE CAN HELP IN THESE AREAS:**

- + Smile Lines
- + Corners of the Mouth
- + Marionette Lines
- + Pre-jowl Folds
- + Chin Wrinkles

### **IMPORTANT RADIESSE®, RADIESSE® (+) and BELOTERO BALANCE® SAFETY INFORMATION (CONTINUED)**

You should not use **BELOTERO BALANCE** if you have an allergy to gram-positive bacterial proteins. If **RADIESSE**, **RADIESSE (+)**, or **BELOTERO BALANCE** is injected into a blood vessel, serious complications can result including stroke, vision abnormalities, blindness, temporary scabs and permanent scars.

## Uplifting Results

You've worked your whole life at defining who you are. Facial wrinkles and folds shouldn't affect that. Learn how RADIESSE® works to stimulate your body's own natural production of collagen<sup>7,8</sup> for a more refreshed appearance—and why 90% of RADIESSE patients are satisfied or extremely satisfied with their treatment at month 12.<sup>1</sup>

*Instant lift and long-lasting definition work together to smooth wrinkles<sup>2,6,8</sup>*

Take a closer look at the faces of RADIESSE to see how instant lift<sup>8</sup> and long-lasting definition work together to smooth wrinkles and folds.<sup>2,6</sup>

### RADIESSE:

- + Provides immediate lift and restoration of lost volume in areas of the lower face<sup>1,6,8</sup>
- + Encourages stimulation of your natural collagen for long-lasting definition<sup>2,6-8</sup>
- + Helps provide a more natural-looking and youthful appearance<sup>6,8</sup>

\*Individual results may vary. Unretouched photos of actual patients.

## Before-and-After: Lower Face

LEANNE, 46



Leanne, age 46, 2 weeks after being injected with 3.0 cc of RADIESSE in lower face.

ZONDRA, 45



Zondra, age 45, 2 weeks after being injected with 2.4 cc of RADIESSE in lower face.

DON, 53



Don, age 53, 2 weeks after being injected with 4.1 cc of RADIESSE in lower face.

### IMPORTANT RADIESSE®, RADIESSE® (+) and BELOTERO BALANCE® SAFETY INFORMATION (CONTINUED)

The most common adverse events seen in clinical studies with BELOTERO BALANCE were swelling, bruising, redness, hardening of the skin, pain, altered color or itching. Side effects were often mild to moderate and often resolved within 7 days.

## Smooth Hands, Long-Lasting Results

Just like our faces, our hands change over time. Veins and tendons become more prominent, and our youthful appearance fades.

RADIESSE® is the first dermal filler proven to immediately restore volume loss in the back of hands, giving you smooth, natural-looking, and long-lasting results.<sup>9</sup>

*RADIESSE is the first dermal filler proven to immediately restore volume loss in the back of hands<sup>3,4</sup>*

### RADIESSE:

- + Restores lost volume in the back of the hands<sup>9</sup>
- + Is opaque and helps camouflage your veins and tendons<sup>9,10</sup>
- + Provides smooth and natural-looking results<sup>4</sup>

\*Individual results may vary. Unretouched photos of actual patients.

## Before-and-After: Hands

ANDREA, 42



Andrea, age 42, 2 weeks after being injected with 1.5 cc of RADIESSE in the back of each hand.

ZONDRA, 46



Zondra, age 46, 2 weeks after being injected with 1.5 cc of RADIESSE in the back of each hand.

ROLANA, 49



Rolana, age 49, 2 weeks after being injected with 1.5 cc of RADIESSE in the back of each hand.

### IMPORTANT RADIESSE®, RADIESSE® (+) and BELOTERO BALANCE® SAFETY INFORMATION (CONTINUED)

The most common adverse events seen in clinical studies of RADIESSE or RADIESSE (+) used in the face include bruising, redness, swelling, pain, itching and other local side effects. The most common adverse events seen in the clinical study of RADIESSE® used in the hands include bruising, redness, swelling, pain, itching, nodules or bumps/lumps, difficulty performing activities, loss of sensation and other local side effects.

BELOTERO BALANCE®

## Definition is in the Details

Some facial wrinkles are more stubborn, especially around the mouth. That's where BELOTERO BALANCE® comes in—a specially designed product that treats moderate to severe etched-in wrinkles.<sup>11</sup>



RADIESSE®

BELOTERO BALANCE®

## Smooth, Refine and Lift

Although not approved to treat the same wrinkle or fold at the same time, RADIESSE® and BELOTERO BALANCE® can compliment one another to provide immediate correction for natural-looking results.<sup>1,11,\*</sup>

LORRAINE, 74. AFTER IMAGES AT 2 WEEKS;  
RADIESSE: 3.9 cc, BELOTERO: 2.0 cc



PAM, 56. AFTER IMAGES AT 2 WEEKS;  
RADIESSE: 3.5 cc, BELOTERO: 3.0 cc



\*Individual results may vary. Unretouched photos of actual patients.

Although not approved to treat the same wrinkle or fold at the same time, RADIESSE and BELOTERO BALANCE can each provide immediate correction for natural-looking results.

### IMPORTANT RADIESSE®, RADIESSE® (+) and BELOTERO BALANCE® SAFETY INFORMATION (CONTINUED)

These are not all the possible adverse events with RADIESSE, RADIESSE(+), or BELOTERO BALANCE. For full RADIESSE, RADIESSE(+), and BELOTERO BALANCE safety information, please visit [www.Radiesse.com](http://www.Radiesse.com), [www.belotero.com](http://www.belotero.com), or call MyMerz Solutions at 1-844-469-6379. RADIESSE, RADIESSE(+), and BELOTERO BALANCE are available by prescription only.

RADIESSE®

BELOTERO BALANCE®

## Learn More

- + ASK YOUR DOCTOR TODAY FOR MORE INFORMATION ABOUT RADIESSE® AND BELOTERO BALANCE®
- + VISIT [RADIESSE.COM](http://RADIESSE.COM) AND [BELOTERO.COM](http://BELOTERO.COM) FOR MORE DETAILS



1. Moers-Carpi M, Vogt S, Santos BM, Planas J, Vallve SR, Howell DJ. A multicenter, randomized trial comparing calcium hydroxylapatite to two hyaluronic acids for treatment of nasolabial folds. *Dermatol Surg.* 2007;33(suppl 2):S144-S151.
2. Moers-Carpi MM, Tufet JO. Calcium hydroxylapatite versus nonanimal stabilized hyaluronic acid for the correction of nasolabial folds: a 12-month, multicenter, prospective, randomized, controlled, split-face trial. *Dermatol Surg.* 2008;34(2):210-215.
3. RADIESSE® [Instructions for Use]. Franksville, WI: Merz North America, Inc; 2016.
4. RADIESSE® [Instructions for Use for the Dorsum of the Hand]. Franksville, WI: Merz North America, Inc; 2016.
5. Marmur E, Green L, Busso M. Controlled, randomized study of pain levels in subjects treated with calcium hydroxylapatite premixed with lidocaine for correction of nasolabial folds. *Dermatol Surg.* 2010;36(3):309-315.
6. Bass LS, Smith S, Busso M, McClaren M. Calcium hydroxylapatite (Radiesse) for treatment of nasolabial folds: long-term safety and efficacy results. *Aesthet Surg J.* 2010;30(2):235-238.
7. Berlin AL, Hussain M, Goldberg DJ. Calcium hydroxylapatite filler for facial rejuvenation: a histologic and immunohistochemical analysis. *Dermatol Surg.* 2008;34(suppl 1):S64-S67.
8. Yutskovskaya Y, Kogan E, Leshunov E. A randomized, split-face, histomorphologic study comparing a volumetric calcium hydroxylapatite and a hyaluronic acid-based dermal filler. *J Drugs Dermatol.* 2014;13(9):1047-1052.
9. Goldman MP, Moradi A, Gold MH, et al. Calcium hydroxylapatite dermal filler for treatment of dorsal hand volume loss: results from a 12-month, multicenter, randomized, blinded trial. *Dermatol Surg.* 2018 Jan;44(1):75-83.
10. Edelson KL. Hand recontouring with calcium hydroxylapatite (Radiesse). *J Cosmet Dermatol.* 2009;8(1):44-51.
11. BELOTERO BALANCE® [Instructions for Use]. Franksville, WI: Merz North America, Inc; 2016.

MERZ AESTHETICS®

Copyright © 2019 Merz North America, Inc. All rights reserved.  
 MERZ AESTHETICS and the MERZ AESTHETICS logo are trademarks of Merz Pharma GmbH & Co. KGaA.  
 RADIESSE is a registered trademark of Merz North America, Inc. BELOTERO and BELOTERO BALANCE  
 are registered trademarks of Merz Pharma GmbH & Co. KGaA. ML01201-03